

# Long Haul For Long-Distance Highway Driving

High Removal Mileage // Low Rolling Resistance // Even Wear // Optimal Retreadability

**Engineered for your application.** Tires for Long Haul use are designed for straight line, on-highway driving, distributing freight from state to state across great distances. Tires are optimized for high removal miles and fuel efficiency.

**IMPORTANT NOTE:** Tire Products are now classified by route. Product details are subject to change, please visit our website or contact your local sales representative for the most up to date information.



**150**  
YEARS

# Long Haul

## Truck Tire Product Overview

### STEER/ALL-POSITION



**Conti EcoPlus HS3+**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	19
11R22.5	H	19
295/60R22.5 (Tread B)	J	15
295/75R22.5	G	19
295/75R22.5	H	19
11R24.5	H	19
285/75R24.5	H	19

**Conti Coach HA3**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
315/80R22.5	L	17

**Conti HSL 3**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	20
11R22.5	H	20
295/75R22.5	G	20
295/75R22.5	H	20

### DRIVE POSITION



**Conti HDL 3 LTL**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
295/75R22.5	G	24

**HDL2**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	26
11R22.5	H	26
295/75R22.5	G	26
295/75R22.5	H	26
11R24.5	G	26

**HDL2 Eco Plus**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/50R22.5	L	27

### DRIVE POSITION (CONTINUED)



**HDL2+ Eco Plus**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
295/60R22.5	J	24

**HDL2 DL**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	32
11R22.5	H	32
295/75R22.5	G	32
11R24.5	G	32
11R24.5	H	32
285/75R24.5	G	32

**HDL2 DL Eco Plus**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	32
295/75R22.5	G	32

### TRAILER POSITION



**Conti EcoPlus HT3**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	13
11R22.5	H	13
255/70R22.5	H	18
295/75R22.5	G	13
11R24.5	G	13
11R24.5	H	13
285/75R24.5	G	13

**HTL1**  
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/50R22.5	L	13

**HTL2 Eco Plus**  
3G   


TIRE SIZE	LOAD RANGE	DEPTH (32nds)
215/75R17.5	J	15
235/75R17.5	J	13
445/70R17.5	J	13

Legend:



PRODUCT FEATURES ABOVE ONLY APPLY TO PRODUCTS IF THE MATCHING ICON IS DARKENED.


### DRIVE POSITION



**HDL 3 LTL-R**



WIDTH (MM)	DEPTH (32nds)
210	22
220	22
230	22
240	22



**HDL2 DL**




WIDTH (MM)	DEPTH (32nds)
215	28
225	28
235	28
245	28



**HDL2 DL Eco Plus**



WIDTH (MM)	DEPTH (32nds)
215	28
225	28
235	28
245	28



**HDL**



WIDTH (MM)	DEPTH (32nds)
215	26
225	26
235	26
245	26
215	20
225	20
235	20
245	20
200	13
215	13
225	13
235	13




**HDL Eco Plus**



WIDTH (MM)	DEPTH (32nds)
215	26
225	26
235	26
245	26
215	20
225	20
235	20
245	20

### DRIVE



**HDL2 Eco Plus**




WIDTH (MM)	DEPTH (32nds)
390	24
400	24



**EcoPlus HT3**




WIDTH (MM)	DEPTH (32nds)
215	13
225	13
235	13
245	13



**HTL**



WIDTH (MM)	DEPTH (32nds)
200	13
210	13
220	13
230	13
240	13



**HTL1**



WIDTH (MM)	DEPTH (32nds)
390	13
400	13
410	13

### TRAILER POSITION


Legend:



SmartWay Verified New Tire Available

Continental Tire the Americas, LLC  
1830 MacMillan Park Drive  
Fort Mill, SC 29707  
Phone: 704-583-3900  
[www.continental-truck.com](http://www.continental-truck.com)

Continental Tire Canada, Inc.  
6110 Cantay Road  
Mississauga, ON L5R 3W5  
Phone: 905-568-1303

 @ContiTruckTires

INSIDE SALES / U.S.  
800-450-4028 East  
800-450-3187 West

INSIDE SALES / Canada  
800-461-9681 English  
800-361-2844 French

Original Equipment Sales  
800-776-2022

Commercial Specialty Tires  
877-235-0102

Technical Customer Services & Warranty  
800-726-7113

