

Long Haul For Long-Distance Highway Driving

High Removal Mileage // Low Rolling Resistance // Even Wear // Optimal Retreadability

Engineered for your application. Tires for Long Haul use are designed for straight line, on-highway driving, distributing freight from state to state across great distances. Tires are optimized for high removal miles and fuel efficiency.

IMPORTANT NOTE: Tire Products are now classified by route. Product details are subject to change, please visit our website or contact your local sales representative for the most up to date information.



Long Haul

Truck Tire Product Overview

Legend:

3G Casing	SmartWay Verified	Intelligent Tire	Retread Available

PRODUCT FEATURES ABOVE ONLY APPLY TO PRODUCTS IF THE MATCHING ICON IS DARKENED.

STEER/ALL-POSITION



Conti EcoPlus HS3+

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	19
11R22.5	H	19
295/60R22.5 (Tread B)	J	15
295/75R22.5	G	19
295/75R22.5	H	19
11R24.5	H	19
285/75R24.5	H	19

Conti Coach HA3

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
315/80R22.5	L	17

Conti HSL 3

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	20
11R22.5	H	20
295/75R22.5	G	20
295/75R22.5	H	20

DRIVE POSITION



Conti HDL 3 LTL

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	24
295/75R22.5	G	24
11R24.5	H	24

HDL2+

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
295/75R22.5	G	26
295/75R22.5	H	26

HDL2

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	26
11R22.5	H	26
11R24.5	G	26

DRIVE POSITION (CONTINUED)



HDL2+ Eco Plus

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
295/60R22.5	J	24

HDL2 DL+

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	32
11R22.5	H	32
295/75R22.5	G	32
11R24.5	H	32
285/75R24.5	G	32

HDL2 DL Eco Plus

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	32
295/75R22.5	G	32



HDL2 Eco Plus

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/50R22.5	L	27

TRAILER POSITION



Conti EcoPlus HT3

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	13
11R22.5	H	13
255/70R22.5	H	18
295/75R22.5	G	13
11R24.5	G	13
11R24.5	H	13
285/75R24.5	G	13

Conti HTL 3

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	13
295/75R22.5	G	13
11R22.4	G	13

HTL1


TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/50R22.5	L	13



HTL2 Eco Plus

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
215/75R17.5	J	15
235/75R17.5	J	13
245/70R17.5	J	13


DRIVE POSITION



HDL 3 LTL-R



WIDTH (MM)	DEPTH (32nds)
210	22
220	22
230	22
240	22



HDL2 DL




WIDTH (MM)	DEPTH (32nds)
215	28
225	28
235	28
245	28



HDL2 DL Eco Plus



WIDTH (MM)	DEPTH (32nds)
215	28
225	28
235	28
245	28



HDL



WIDTH (MM)	DEPTH (32nds)
215	26
225	26
235	26
245	26
215	20
225	20
235	20
245	20
200	13
215	13
225	13
235	13




HDL Eco Plus



WIDTH (MM)	DEPTH (32nds)
215	26
225	26
235	26
245	26
215	20
225	20
235	20
245	20

DRIVE



HDL2 Eco Plus



WIDTH (MM)	DEPTH (32nds)
390	24
400	24



EcoPlus HT3




WIDTH (MM)	DEPTH (32nds)
215	13
225	13
235	13
245	13



HTL



WIDTH (MM)	DEPTH (32nds)
200	13
210	13
220	13
230	13
240	13



HTL1




WIDTH (MM)	DEPTH (32nds)
390	13
400	13
410	13

Legend:



Continental Tire the Americas, LLC
1830 MacMillan Park Drive
Fort Mill, SC 29707
Phone: 704-583-3900
www.continental-truck.com

 @ContiTruckTires

INSIDE SALES / U.S.
800-450-4028 East
800-450-3187 West

Original Equipment Sales
800-776-2022

Commercial Specialty Tires
877-235-0102

Technical Customer Services & Warranty
800-726-7113

