

Long Haul For Long-Distance Highway Driving

High Removal Mileage // Low Rolling Resistance // Even Wear // Optimal Retreadability

Engineered for your application. Tires for Long Haul use are designed for straight line, on-highway driving, distributing freight from state to state across great distances. Tires are optimized for high removal miles and fuel efficiency.

IMPORTANT NOTE: Tire Products are now classified by route. Product details are subject to change, please visit our website or contact your local sales representative for the most up to date information.



150
YEARS

Long Haul

Truck Tire Product Overview

STEER/ALL-POSITION



Conti EcoPlus HS3+
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	19
11R22.5	H	19
295/60R22.5 (Tread B)	J	15
295/75R22.5	G	19
295/75R22.5	H	19
11R24.5	H	19
285/75R24.5	H	19

Conti Coach HA3
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
315/80R22.5	L	17

Conti HSL 3
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	20
11R22.5	H	20
295/75R22.5	G	20
295/75R22.5	H	20

DRIVE POSITION



Conti HDL 3 LTL
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
295/75R22.5	G	24

HDL2
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	26
11R22.5	H	26
295/75R22.5	G	26
295/75R22.5	H	26
11R24.5	G	26

HDL2 Eco Plus
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/50R22.5	L	27

DRIVE POSITION (CONTINUED)



HDL2+ Eco Plus
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
295/60R22.5	J	24

HDL2 DL
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	32
11R22.5	H	32
295/75R22.5	G	32
11R24.5	G	32
11R24.5	H	32
285/75R24.5	G	32

HDL2 DL Eco Plus
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	32
295/75R22.5	G	32

TRAILER POSITION



Conti EcoPlus HT3
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	13
11R22.5	H	13
255/70R22.5	H	18
295/75R22.5	G	13
11R24.5	G	13
11R24.5	H	13
285/75R24.5	G	13

Conti HTL 3
3G   

TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	G	13
295/75R22.5	G	13
11R22.4	G	13

HTL1
3G   





TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/50R22.5	L	13



HTL2 Eco Plus
3G   


TIRE SIZE	LOAD RANGE	DEPTH (32nds)
215/75R17.5	J	15
235/75R17.5	J	13
245/70R17.5	J	13

Legend:

-  3G Casing
-  SmartWay Verified
-  Intelligent Tire
-  Retread Available

THE FEATURES ABOVE ONLY APPLY TO PRODUCTS IF THE MATCHING ICON IS DARKENED.


DRIVE POSITION



HDL 3 LTL-R



WIDTH (MM)	DEPTH (32nds)
210	22
220	22
230	22
240	22



HDL2 DL




WIDTH (MM)	DEPTH (32nds)
215	28
225	28
235	28
245	28



HDL2 DL Eco Plus



WIDTH (MM)	DEPTH (32nds)
215	28
225	28
235	28
245	28



HDL



WIDTH (MM)	DEPTH (32nds)
215	26
225	26
235	26
245	26
215	20
225	20
235	20
245	20
200	13
215	13
225	13
235	13




HDL Eco Plus



WIDTH (MM)	DEPTH (32nds)
215	26
225	26
235	26
245	26
215	20
225	20
235	20
245	20

DRIVE



HDL2 Eco Plus




WIDTH (MM)	DEPTH (32nds)
390	24
400	24



EcoPlus HT3




WIDTH (MM)	DEPTH (32nds)
215	13
225	13
235	13
245	13



HTL



WIDTH (MM)	DEPTH (32nds)
200	13
210	13
220	13
230	13
240	13



HTL1



WIDTH (MM)	DEPTH (32nds)
390	13
400	13
410	13

TRAILER POSITION


Legend:



SmartWay Verified New Tire Available

Continental Tire the Americas, LLC
1830 MacMillan Park Drive
Fort Mill, SC 29707
Phone: 704-583-3900
www.continental-truck.com

Continental Tire Canada, Inc.
1 Robert Speck Parkway, Suite No. 900
Mississauga, ON L47 3M3
Phone: 905-568-1303

 @ContiTruckTires

INSIDE SALES / U.S.
800-450-4028 East
800-450-3187 West

INSIDE SALES / Canada
800-461-9681 English
800-361-2844 French

Original Equipment Sales
800-776-2022

Commercial Specialty Tires
877-235-0102

Technical Customer Services & Warranty
800-726-7113

