

# Off-Road For Severe Service & Maximum Durability

Excellent Traction // Hours of Service // Cut/Tear Resistant // Casing Durability

**Engineered for your application.** Tires for Off-Road and Severe Service use are designed to support construction, mining, logging, and other applications where vehicles travel across challenging surfaces strewn with rocks, nails, and debris. Tires are optimized for durability and high removal mileage, as well as cut-and-tear resistance and traction.

**IMPORTANT NOTE:** Tire Products are now classified by route. Product details are subject to change, please visit our website or contact your local sales representative for the most up to date information.



**150**  
YEARS

# Off-Road

## Truck Tire Product Overview

### ALL-POSITION



HCS



TIRE SIZE	LOAD RANGE	DEPTH (32nds)
445/65R22.5	L	27
325/95R24 (NHS)	J	40

### DRIVE POSITION



HDO



TIRE SIZE	LOAD RANGE	DEPTH (32nds)
11R22.5	H	32

### 19.5" TIRE






Conti Terra HD3 (19.5")



TIRE SIZE	LOAD RANGE	DEPTH (32nds)
225/70R19.5	G	19
245/70R19.5	H	19

\*Drive Position

Legend:

			
3G Casing	SmartWay Verified	Intelligent Tire	Retread Available

PRODUCT FEATURES ABOVE ONLY APPLY TO PRODUCTS IF THE MATCHING ICON IS DARKENED.

### ALL-POSITION



HCS



WIDTH (MM)	DEPTH (32nds)
215	32
225	32
235	32
245	32
360	32
380	32

### DRIVE POSITION



HDC1 HT




WIDTH (MM)	DEPTH (32nds)
225	32
235	32
245	32

Legend:



Continental Tire the Americas, LLC  
1830 MacMillan Park Drive  
Fort Mill, SC 29707  
Phone: 704-583-3900  
[www.continental-truck.com](http://www.continental-truck.com)

Continental Tire Canada, Inc.  
6110 Cantay Road  
Mississauga, ON L5R 3W5  
Phone: 905-568-1303

 @ContiTruckTires

INSIDE SALES / U.S.  
800-450-4028 East  
800-450-3187 West

INSIDE SALES / Canada  
800-461-9681 English  
800-361-2844 French

Original Equipment Sales  
800-776-2022

Commercial Specialty Tires  
877-235-0102

Technical Customer Services & Warranty  
800-726-7113

