



ContiPressureCheck™


Instruction how to update handheld tool

Ver. 2.0

15. December 2014


Unzip File

- › If download of zip-file was blocked by fire-wall / virus scanner
 - › Download the .zi1 file
 - › After successful download change (rename) extension of downloaded file from .zi1 to .zip
- › Unzip the file “CPC-update-package__yyyy-mm-dd.zip”
- › Use “**conti**” as password for unzipping.
- › It is mandatory to unzip (extract) this file. **Don't start “CPC-Update_for_HHT.vbs” within the zip-file.**
- › At the end there should be the folder “CPC-update-package__yyyy-mm-dd” on PC with the following content




Unzip File with IZArc

- › If IZArc is used for unzipping please ensure that “Restore Original Folders” is activated.



Update Process

- › To start the update process execute the file “CPC-Update_for_HHT.vbs” in the extracted folder, **not within the zip-file.** 
- › Choose the language by typing the according number and follow the instructions shown on the PC-screen.
- › The update process is divided in 2 steps:
 - › Update of SD-card content
 - › Updated of firmware

Final steps

› **Mandatory steps:**

- › Switch on tool again.
- › Check in “Setup/Release” if SW-update was successful
- › You should see:
 - › FW Version: 6.00
 - › DB Version: 1.20

- › If update wasn't successful, repeat the whole process again.

- › In “Setup/Language” choose your language; if necessary, adapt the other properties within “setup” menu.