

Continental 
The Future in Motion



New & Retread Limited Warranty Adjustment Policy

LIMITED WARRANTY/ADJUSTMENT POLICY. On/Off the highway radial truck tires.

Continental 

ContiTread™

GENERAL TIRE 

AMERISTEEL
BY GENERAL TIRE 


TECNOTREAD

LIMITED WARRANTY/ADJUSTMENT POLICY

This Limited Warranty and Adjustment Policy (“Limited Warranty and Policy”) issued by Continental Tire the Americas, LLC (“CTA”) is a promise of replacement under certain specified conditions. It applies to tires in normal highway service displaying adjustable conditions (see Section 4 – Exclusions) and does not require the existence of a deficiency in workmanship or materials in order to qualify for adjustment. THIS LIMITED WARRANTY AND POLICY IS NOT A WARRANTY THAT YOUR TIRE WILL NOT FAIL OR BECOME UNSERVICEABLE IF NEGLECTED OR MISTREATED.

1. ELIGIBILITY

This Limited Warranty and Policy applies to the original owner of new Continental/General brand On/Off-Highway Radial Truck Tires used in normal service bearing our brand name and serial numbers (“Eligible Tires”). Tires branded “Blem” (Blemish) will be adjusted on the original tread in the same manner as described below except ride and/or appearance conditions are not considered adjustable. Tires branded “Used” and those marked with an “X” are both void under the Limited Warranty and Policy. All tires must be installed and used according to the vehicle manufacturer’s and CTA’s recommendations.

2. WHAT IS THE ADJUSTMENT POLICY AND FOR HOW LONG? ORIGINAL TREAD (New Tire)

Eligible tires receive the coverage listed under Table 1. If a Medium or Heavy Truck Tire in normal service comes unserviceable from a condition other than those listed under section 4 during the time or treadwear periods shown below, it will be replaced with a comparable** new Continental/General brand tire according to a, b and c, below.

a. FREE REPLACEMENT POLICY

	Time*	Treadwear
All Radial Medium/ Heavy Truck Tires	First 12 Months (Whichever comes first)	First 10%

Owner pays for mounting and any other service charges.

b. PRO-RATA REPLACEMENT CREDIT POLICY

After the free replacement policy expires and the tire or tube is still within the warranty time frame outlined in section 2c*, you will receive a replacement pro-rata credit (excluding tax) toward the purchase of a comparable** new Continental/General brand tire or tube equal to the percentage of tread depth remaining to the treadwear indicators (2/32nds of an inch), at which time the tread is worn out.

** If the months of service and date of purchase for an Eligible Tire cannot be accurately determined, adjustment credit will be based upon the date of manufacture (DOT serial number) and tread depth remaining.*

*** A “comparable” new Continental/General brand tire may be either the same tire line or the same basic construction but with a different sidewall or tread configuration. If a higher priced tire is accepted as replacement, the owner will pay the difference in price. Any tire replaced under this Limited Warranty and Policy will be covered by the then current CTA Limited Warranty and Policy.*

c. RADIAL CASING PROVISIONS (Retreads)

The radial casing provisions will apply to tire/casing operating in “normal highway service” only tire/casings used in off-the-highway service (construction or mining) are not eligible under these casing provisions.

In the event a Radial Medium or Heavy Truck Tire/Casing will not accept the first retread due to an adjustable condition, it is eligible for the applicable casing value shown below.

In addition, casings already retreaded and that are within the number of months specified below from date of manufacture of the casing (DOT Serial Number) or number of retreads specified, whichever comes first, are eligible for the applicable casing value shown in table 1 below.

All casing credits will be allowed toward the purchase of a comparable new Continental/General brand Medium or Heavy Truck Tire.

3. HOW CREDITS ARE CALCULATED

For adjustments made on original tread tires which are not eligible for a no charge adjustment as provided above, you will receive replacement credit toward a new tire equal to the percentage of remaining tread depth multiplied by the price shown on your original invoice, if available, or on the authorized adjusting retailer’s

regular selling price (excluding tax) at the time of the claim for a comparable new Continental/General brand tire. Owner pays current Federal Excise Tax (not applicable for Canadian sales).

4. WHAT IS NOT COVERED BY THE ADJUSTMENT POLICY

a. NON-ADJUSTABLE CONDITIONS

Road hazards - cuts, snags, tread tearing or chunking, punctures, bruises or impact breaks and any damage caused by improper puncture or tire repair such as separation in any part of the tire. Continued use while the tire is flat.

Damage - tire damage or failure resulting from improper operation or maintenance - load, speed and inflation practices, causing excessive operational temperatures to exceed the tire capabilities.

Premature removal for irregular treadwear or fast wearout - tire failure or tire damage resulting from: vehicle accidents, improper mounting, demounting, damaged wheel and rim components, wheel misalignment, tire trueing, chain damage, brake or any similar mechanical problem, extreme temperature exposure, misuse, negligence or abusive driving such as tire spinning or racing, and improper use contrary to the vehicle manufacturer’s tire recommendations.

Age Conditions - age conditions, such

as cracks, on tires purchased more than four (4) years prior to presentation for adjustment are considered not adjustable. If proof of purchase date is not provided, the tire serial number will be used.

Intentional Alterations - such as tread regrooving or adding sealant materials to the tire.

Casings - if casings/retreads are not identified for number of retreads applied, credit will be allowed at the lowest value only. Radial casing failure due to improper retreading practices or tread worn beyond retread point (4/32nds) or used in not approved service application. Radial casings older than the number of months specified from date of manufacture, or retreaded more than the number of specified times, or branded "used."

Ride/Vibration - after the Eligible Tire is more than 25% worn.

b. GENERAL EXCLUSIONS

- Tires/casings older than years/months specified in Section 2a., 2b., and 2c. from date of purchase are not covered by this Limited Warranty and Policy. If satisfactory proof of purchase date is not provided, the date of manufacture (tire serial number) will be used.
- Tires on any truck registered and operated outside the United States and Canada.
- Tread wearout is not covered by this Limited Warranty and Policy. Because of variations in vehicles, conditions of use and driver habits, CTA does not warrant any tire will achieve a predetermined mileage.

No CTA employee or dealer has the authority to make any warranty, representation, promise or

agreement on behalf of CTA except as stated in this Limited Warranty and Policy.

THIS LIMITED WARRANTY AND POLICY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. CONTINENTAL TIRE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SOME STATES AND PROVINCES DO NOT PERMIT SUCH A LIMITATION; FOR THOSE STATES AND PROVINCES, ANY IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE DURATION OF WRITTEN WARRANTY.

This is the only express warranty made by Continental Tire.

No Continental Tire employee, retailer, or authorized dealer has the authority to make any warranty, representation, promise or agreement on behalf of Continental Tire except as expressly written in this Limited Warranty and Policy.

TO THE EXTENT PERMITTED BY LAW, CONTINENTAL TIRE DISCLAIMS LIABILITY FOR ALL CONSEQUENTIAL AND INCIDENTAL DAMAGES. THE REMEDIES SET FORTH IN THIS LIMITED WARRANTY ARE THE SOLE AND EXCLUSIVE REMEDIES FOR BREACH OR WARRANTY. SOME STATES AND PROVINCES DO NOT ALLOW THE

EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES OR EXCLUSIONS OR LIMITATIONS ON IMPLIED WARRANTIES OR ON THE DURATION OF SUCH WARRANTIES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH MAY VARY FROM

STATE TO STATE IN THE U.S. AND FROM PROVINCE TO PROVINCE IN CANADA.

In observance of U.S. Federal Law, this warranty and policy has been designated a "Limited Warranty". Continental Tire does not intend to represent through this Limited Warranty and Policy that tire failures can not happen.

5. OWNER/USE OBLIGATIONS

- a. To make a claim under this limited warranty, you must present your claim with the tire/casing to a CTA brand tire retailer or vehicle dealer authorized to handle tire adjustments. You will be required to sign the CTA brand tire adjustment replacement claim form.
- b. You are responsible for payment of all applicable taxes and charges incurred during replacement or repair of tires including demounting, mounting and balancing. You are also responsible for payment for tire rotation, alignment, towing, road service and valve stem.

IMPORTANT SAFETY WARNING AND MAINTENANCE INFORMATION

Any tire, no matter how well constructed, may fail as a result of a puncture, impact damage, improper inflation or other condition resulting from improper use. Tire failures such as a blowout or a tread and belt detachment may create a risk of injury or death and/or property damage. To reduce the risk of tire failure, Continental Tire strongly recommends you read the vehicle owner's manual, tire placard information, and tire sidewall information regarding safety warnings, proper tire use and maintenance.

SERIOUS INJURY OR DEATH MAY RESULT FROM TIRE FAILURE OR EXPLOSION AS A RESULT OF ANY OF THE FOLLOWING:

1. **CHECK** the pressure in your tires at least monthly, preferably before every trip, when the tires are cool (after the vehicle has been stopped three (3) hours and then driven less than one mile). Do not reduce pressure when tires are hot. Use a quality tire gauge to check pressure and maintain it at the level recommended by

the vehicle manufacturer. Remember under inflation is the most common cause of blowouts or sudden failures in any kind of tire and may result in unexpected loss of vehicle control or accidents. Permanent tire damage due to under inflation and/or overloading cannot always be detected. Any tire known or suspected to have been run at 80% or less of normal operating inflation pressure and/or overloaded could possibly have permanent structural damage (steel

cord fatigue). Ply cords weakened by under inflation and/or overloading may break one after another; until a rupture occurs in the upper sidewall with accompanying instantaneous air loss and explosive force.

2. **AVOID** explosion of the tire/rim/wheel assembly due to improper mounting. Never exceed 40 PSI (air pressure) when seating beads. Always use a safety cage or other restraining device and clip-on extension hose. Only specially trained persons should mount tires.

3. **AVOID** explosion of the tire/rim/wheel assembly due to welding the rim by first removing the tire and never rework, weld, heat, or braze the rim of a tire/rim/wheel assembly.

4. **NEVER** overload your tires. The maximum load carrying capability of your tires is molded on the sidewall of the tire and specific loading instructions are provided by the vehicle's manufacturer.

5. **ALWAYS** mount radial tires on approved radial rims or wheels.

For tires requiring a tube, use only tubes and flaps approved for radial tires (identified with red band around valve and stem or stem marked "radial" or "R"). Always use new radial tubes and flaps when mounting new tube-type radial tires.

6. **AVOID** excessive tire spinning when your vehicle is stuck in snow, mud or sand and never exceed 35 mph indicated on speedometer. The centrifugal forces generated by a free spinning tire/wheel assembly may cause a sudden tire expansion resulting in vehicle damage and/or serious personal injury. Use a gentle backward and forward rocking motion to free your vehicle for continued driving. Never stand near or behind a tire spinning at high speed while attempting

to push a vehicle that is stuck.

7. **CHECK** your tires frequently for scrapes, bulges, separations, cuts or snags resulting from use. Impact can damage the inner portions of your tire without being visible on the outside. If you suspect that possible impact damage may have occurred, have an authorized CTA dealer inspect the inner surface of your tire immediately in order to avoid possible sudden failure.

8. **NEVER** operate your vehicle in excess of lawful speeds or the maximum speeds justified by driving conditions.

9. **MAKE** every effort to avoid running over objects that may damage the tire through impact or cutting, such as chuckholes, glass, metal, etc.

10. **NEVER** drive on smooth tires. Vehicles under the jurisdiction of the Bureau of Motor Carrier Safety (more than 10,000 lbs. gross vehicle weight) must by law have at least 4/32nds inch tread depth on front-wheel tires. On vehicles of 10,000 lbs. or less gross vehicle weight, front tires must be replaced when worn to the treadwear indicators or 2/32nds inch. On any vehicle, tires in drive and/or trailer positions must be replaced when worn to the treadwear indicators or 2/32nds of tread depth remaining.

11. FOR MORE SAFETY AND MAINTENANCE INFORMATION: We encourage you to consult our websites for additional safety and maintenance information at www.continental-truck.com or www.generaltiretruck.com.

For additional information, please also contact the Rubber Manufacturer Association at 1400 K Street, N. W. Washington, DC 20005. (www.rma.org).

Thank you for investing in truck tires from CTA.

We sincerely appreciate
your business and the
vote of confidence you've
placed in our products.

With your investment in quality products comes one of the
strongest limited warranties and adjustment policies in the
truck tire industry.

Your coverage includes:

- 12-month or 10% radial tire replacement.
- Excellent radial casing coverage - up to 84 months with
high competitive values.



Table 1

Size/Designs	Original Tread (1st life) Warranty Period	Casing Value (not yet retreaded)	# Re-treads	Casing Value (once retreaded)	Casing Values		
					(Not worn beyond 4/32" remaining)		
					1st Retread	2nd Retread	3rd Retread
Continental Sizes EcoPlus HS3, Hybrid HS3, Coach HA3, CrossTrac HA3, HSL2, HSL2 Eco Plus, HSL1 Coach, Urban HA3, HSR2, HSR2 Eco Plus, HSR2 SA, HSU2+, CityService HA3, HSU1, EcoPlus HD3, Hybrid HD3, HDL2, HDL Eco Plus, HDL2 Eco Plus, HDL2 DL, HDL2 DL Eco Plus, HDR1 Eco Plus, EcoPlus HT3, HTL Eco Plus, HTL1, Conti Hybrid HT3	7 years	\$110	3*	7 years*	\$110	\$85	\$55
All Continental/General sizes except 19.5 and smaller HTL, HSL, HDL, HSL Eco Plus, HSR, HSC, HSCI, HCS, HDC, HDC1, HDO, HDW, HDW2, HSU, HSU2, HTC, HTC1, HDR, HDR1, HDR2, HSR1, HTR, HTR1, HTR2, General HS, General HD, General HT, General RA, General RD, S581, S580, S380A, S370, S371, S360, D660, D460, D450, ST250, MS520, Grabber OA, Grabber OA WB, Grabber OD, General WT	6 years	\$90	3*	6 years*	\$80	\$60	\$30
All Continental/General sizes 19.5 and smaller Hybrid HS3, Hybrid HD3, Hybrid HT3, Scandinavia HD3, Terra HD3, HSR, HSR1, HDR, HTR, HTR1, HTL2 Eco Plus, LSR, LSR1, LSU, LDR1, LMT 400, LMT 450, LMT 460, LSU, LSU1, ST250 LP, General RA, General RT, Conti Hybrid LA3	6 years	\$45	2*	4 years*	\$45	\$30	None
All Continental/General sizes 10.0OR20 - 11R22.5, 295/75R22.5 and Larger D445	5 years	\$80	2*	4 years*	\$80	\$45	None
All other Continental/General designs 9.0OR20, 10R22.5, 265/75R22.5 and smaller	5 years	\$45	2*	4 years*	\$45	\$30	None
All AmeriSteel and all eligible Private brands**	4 years	\$40	1*	4 years*	\$35	None	None

Subject to change without notice
 Free replacement period: - First 10% wear or 12 months from proof of purchase (whichever comes first)

* Whichever comes first
 ** Per contract agreement



Retread Limited Warranty

ContiTread™



RETREAD LIMITED WARRANTY

LIMITED WARRANTY/ADJUSTMENT POLICY

This Limited Warranty and Adjustment Policy ("Limited Warranty and Policy") issued by Continental Tire the Americas, LLC ("CTA") is a promise of replacement under certain specified conditions. It applies to tires in normal highway service displaying adjustable conditions (see Section 4 - Exclusions) and does not require the existence of a deficiency in workmanship or materials in order to qualify for adjustment. THIS LIMITED WARRANTY AND POLICY IS NOT A WARRANTY THAT YOUR TIRE WILL NOT FAIL OR BECOME UNSERVICEABLE IF NEGLECTED OR MISTREATED.

CONTITREAD & TECNOTREAD

1. ELIGIBILITY

a. Products sold hereunder are warranted by Continental to be free from defects in material and workmanship under normal use and operation and to conform to Continental's specifications applicable at the time of shipment.

2. WHAT IS COVERED AND FOR HOW LONG

a. This warranty covers a period of one (1) year from date of shipment to Buyer. If Continental determines that the Products sold hereunder are not as warranted, Continental shall, at its option and as Buyer's exclusive remedy, either refund the purchase price, or repair or replace the Product, provided that Continental receives written notice of the defect during the period of warranty and the defective Product is returned with Continental's written authorization prepaid in protected shipping containers to Continental at a location designated by Continental. If Continental determines that the Product conforms to this warranty, the Product will be returned to Buyer at Buyer's expense.

Continental disclaims any and all liability for equipment or services not furnished by Continental, which is attached to, or used in conjunction with, the Product and Continental, disclaims all liability for operation of the system of which such Product is a part.

Continental extends this warranty to Buyer only, and it is the complete warranty for Products manufactured by Continental. EXCEPT AS SPECIFICALLY SET FORTH HEREIN, ALL WARRANTIES EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF WARRANTY. This warranty shall not be enlarged and no obligation or liability shall arise out of Continental's rendering of technical advice and/or assistance.

(Effective January, 2011)

3.CREDIT

- a. Upon receipt of a properly completed ContiLifeCycle Limited Warranty Claim Form, Continental will issue credit to the Buyer based on the conditions set forth in sections 1 and 2 above.
- b. Treads submitted for warranty consideration must be inspected by a Continental ContiLifeCycle employee or shipped to the Continental Tire Warranty Center.

**Call 1-866-750-9533 to ship freight collect as Class 60 Scrap to:
Continental Tire Warranty Center
12086 E IL Hwy 148
Mt. Vernon, IL 62864**

CONTINENTAL LICENSEE

1.WARRANTY

- a. This Limited Warranty and Adjustment Policy ("Policy") is a promise of replacement under the below specified conditions only. This Policy applies to ContiLifeCycle retreads produced by a Continental licensed retreader under the following conditions;
- b. Any ContiLifeCycle retread submitted for adjustment consideration must be returned to a Continental licensed retreader for evaluation. If it is determined that the retread has failed or will fail due to a Continental licensed retreader materials or workmanship during the retread process, the customer will be credited a prorated amount based on remaining tread depth, as detailed below.
- c. Retreaded tires with accepted warranty adjustments having less than or equal to 10% of the tread worn will be credited at 100% of the sales value (Cap and/or Casing).
- d. Retreaded tires with accepted warranty adjustments having more than 11% of the tread worn will be credited on a pro rata basis from 11% down to 2/32 of the usable tread remaining.
- e. Retreaded tires on a Continental licensed retreader stock cap and casings will be warranted in the same manner.
- f. Continental and/or a Continental licensed retreader is not responsible for tire service charges incurred.
- g. This Policy is in effect through the life of the retread with exclusions regarding (a) Age of the casing, (b) Road Hazards, (c) Damage due to improper operating or maintenance, including mounting, (d) Premature tread wear and/or irregular tread wear, and (e) Casing failure, if stock cap and casing is not purchased originally from Continental licensed retreader.

IMPORTANT: THIS POLICY IS PART OF THE CONTINENTAL LIMITED WARRANTY ADJUSTMENT POLICY (“WARRANTY”) AND INCLUDES ALL GENERAL EXCLUSIONS AND OWNER/USE OBLIGATIONS SET FORTH THEREIN. THIS POLICY IS AN INSERT TO THE WARRANTY AND IS VOID INDEPENDENT OF THE WARRANTY. CONTINENTAL DISCLAIMS ANY AND ALL LIABILITY FOR EQUIPMENT AND SERVICES NOT FURNISHED BY A CONTINENTAL LICENSED RETREADER, WHICH IS ATTACHED TO, OR USED IN CONJUNCTION WITH, THE PRODUCT AND CONTINENTAL DISCLAIMS ALL LIABILITY FOR OPERATION OF THE SYSTEM OR VEHICLE OF WHICH SUCH PRODUCT IS A PART. A CONTINENTAL LICENSED RETREADER EXTENDS THIS WARRANTY TO BUYER ONLY, AND IT IS THE COMPLETE WARRANTY FOR PRODUCTS MANUFACTURED BY A CONTINENTAL LICENSED RETREADER. EXCEPT AS SPECIFICALLY SET FORTH HEREIN, ALL WARRANTIES EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED. TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL CONTINENTAL BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF WARRANTY. THIS WARRANTY SHALL NOT BE ENLARGED AND NO OBLIGATION OR LIABILITY SHALL ARISE OUT OF BESTDRIVE’S RENDERING OF TECHNICAL ADVICE AND/OR ASSISTANCE.

2. LICENSEE RESPONSIBILITY

a. If a retread using ContiLifeCycle materials fails in service, if within 150 miles of the original manufacturing retread licensee shop, present for consideration to the manufacturing licensee shop.

b. If a retread using ContiLifeCycle materials fails in service, outside of the 150 mile radius of the manufacturing licensee shop, present for consideration to either another licensed Continental retreader, an authorized Continental new tire dealer, or by contacting the Continental Tire Warranty Center, 1-866-750-9533.

- The adjusting licensee* will inspect the tire to determine the cause of failure.
- If the failure is determined to be the cause of workmanship and materials used in the retreading process, the adjusting licensee will issue credit to the customer, as spelled out in section 1 c and d above, and will submit the warranty claim, along with a copy of the customer invoice, to the Continental Tire Warranty Claim Center.
- The adjusting licensee will hold the adjusted retread for a period of 30 days after the claim is received by Continental.
- Continental will issue credit to the adjusting licensee for the amount of credit given to the customer and debit the participating manufacturing licensee for the same amount. Continental will not be responsible for any service fee or handling charges.
- The manufacturing licensee will review any charge back, and determine whether to accept or question the adjustment made. If the manufacturing licensee feels that the retread has been adjusted in error, they can request the tire be sent to the

Continental Tire Warranty Center for analysis.

- The adjusting licensee will ship the tire to the Continental Tire Warranty Center freight collect. Continental's determination as to the validity of the adjustment will be binding on both parties. If the retread is deemed adjustable, the debit charge to the manufacturing licensee will stand, and the freight cost to ship the tire to Continental will be billed to the manufacturing licensee. Should Continental determine that the tire is non-adjustable, the adjusting licensee will be charged the amount of the debit memo originally charged to the manufacturing licensee plus the freight cost to ship the tire to Continental. The manufacturing licensee would receive credit for the original debit/charge back.
- If the failure is determined to be the cause of a faulty casing, warranty consideration must be submitted to the original casing manufacturer.

**adjusting licensee could be a licensed CLC retread shop, or an authorized Continental new tire dealer.*

QUALITY BREEDS CONFIDENCE

Quality is a basic business strategy at CTA. It is our policy to design, manufacture and service our products to assure the highest level of quality possible.

Because we emphasize quality in our day-to-day activity, we're confident that your new tires will deliver outstanding performance. And we back up our confidence in writing with one of the most committed limited warranties and adjustment policies in the truck tire industry.

We encourage you to thoroughly review your coverage. When you do, you'll more fully appreciate the sound investment you've made. One that will grow in value mile after profitable mile.

FOR SERVICE ASSISTANCE OR INFORMATION:

1. First contact your local Continental authorized dealer. Find the nearest location at www.continental-truck.com.
2. If for any reason local service or information is not available, call or write the nearest Continental Region Office or Service Centers. See locations below.

Warranty Center – Mt. Vernon, IL 12086 E. Illinois HWY 148 Mt. Vernon, IL 62864 800-726-7113	INSIDE SALES – US 800-450-4028 East 800-450-3187 West
FOR ROADSIDE SERVICE 1-877-TRUK FIX (1-877-878-5349)	Continental Tire Canada, Inc. 6110 Cantay Road Mississauga, ON L5R 3W5 Phone: 905-568-1303

Continental Tire the Americas, LLC
1830 MacMillan Park Drive
Fort Mill, SC 29707
Phone: 704-583-3900
www.continental-truck.com

Continental Tire Canada, Inc.
6110 Cantay Road
Mississauga, ON L5R 3W5
Phone: 905-568-1303

Continental Tire de México S.A.
de C.V.
Av. Santa Fe 170 Piso 7
Col. Lomas de Santa Fé
Del. Alvaro Obregón C.P. 01210
México D.F.
Phone: +52-55-1500-0900

INSIDE SALES
US
800-450-4028 East
800-450-3187 West

Canada
800-461-9681 English
800-361-2844 French

Original Equipment Sales
800-776-2022

Commercial Specialty Tires
877-235-0102

